

REC-3D ALIGNER

WA 200D





DRIVE THROUGH



Features :

- *Reduced Set-up time*
- *Real - time measurements*
- *Easy - to - Use*
- *Easy RCP procedure by self.*
- *Environment friendly print outs using whatsapp / email*
- *User friendly software*
- *Backup & restoration of calibration datas*
- *Custom vehicle specifications*
- *Elevated adjustments*
- *Ez-toe*
- *Frame dimensions*
- *Tyre diameter*
- *Scrub Radius*
- *4 wheel steer adjust*
- *Front & Rear camber - (-14° to +14°)*
- *Front caster - (-27° to +27°)*

INSTALLATION DIMENSIONS :



PROVIDED WITH



UNIVERSAL CLAMPS



TYRE CLAMPS



STEERING WHEEL HOLDER
BRAKE PREDREL
DEPRESSOR





HD TARGETS



PLATES **TURN**



ALIGNMENT REPORTS



VEHICLE ALIGNMENT REPORT


Customer: PULGO Phone: 97400888
Address: Lakshmi SUTPITRUM
Brand: Mahindra
Model: MAHINDRA XUV 500 W/O Air Suspension
Make: MAHINDRA

Item	Before adjustment				After adjustment			
	Left	Right	MM	MM	Left	Right	MM	MM
Total Toe	0.2	0.0	2.2	2.4	0.0	0.0	0.0	0.0
Toe	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Steerack	-10mm	-	-	-	-	-	-	-
Castor	-0.8°	-1.0°	-0.8°	-0.7°	-0.8°	-0.8°	-0.8°	-0.8°
Drift	4.8°	5.6°	5.3°	5.8°	4.8°	5.2°	5.2°	5.2°
SAI	7.8°	7.8°	-	-	7.8°	7.8°	-	-
Toe Out On Turn	0.0°	0.0°	-	-	0.0°	0.0°	-	-
Roll	-	-	-	-	-	-	-	-
Wheel Toe	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Toe	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Steerack	-10mm	-	-	-	-10mm	-	-	-
Castor	-0.8°	-0.8°	-1.0°	-0.7°	-0.8°	-0.8°	-0.8°	-0.8°
Thrust angle	0.3°	-	-4.5	0.0	0.0	0.0°	-	-

Wheel Base: 1400mm RIGID 1880mm Track Width: Front 1500mm Rear 1400mm

Company: REC TYRES HOUSE Technician: RINJA
Address: ARUNACHALAM ROAD, SALIGRAMAM, CHENNAI Phone: 944 2376 6076

Daily / Weekly / Monthly Reports



MADE IN INDIA

Rajus Equipments Pvt Ltd., (REC)

No.7, Arunachalam Road, Saligramam, Chennai - 600 101.

Ph. +91 44 2376 6076 Mob : +91 9940406880

